

USB KEYBOARD GER/INT USB INTERFACE FOR DEVICES WITH SUITABLE CONNECTOR ADDITIONAL INFORMATION: SEE TECHNICAL DATA



General information

Product type designation	GER/INT USB keyboard
--------------------------	----------------------

Control elements

Keyboard fonts

• Design	Keyboard with short-stroke keys, type G81-3000 Cherry
• Keyboard assignment	MF2, 105 keys, German / International
• Color of the buttons	White
• Key illumination	No
• Function keys	
— Number of function keys	12
• Number pad	Yes
• Status LED displays	Yes; Num, Caps and Scroll
— for number pad	Yes
— for Shift keys	Yes

Connection type

• USB	Yes
• PS/2	Yes
• Cable length	1.75 m

Frame size/design	
• Standard	Yes; For industrial applications
Installation type/mounting	
Rack mounting possible	No; Desktop housing
Supply voltage	
Rated value (DC)	5 V; via USB
Input current	
Current consumption (rated value)	16 mA
Battery	
Battery charge indicator	No; maintenance-free
Standards, approvals, certificates	
CE mark	Yes; GS
cULus	No; cURus
RCM (formerly C-TICK)	Yes; C-Tick
FCC Class B	Yes
Suitable for safety functions	No
Ambient conditions	
Ambient temperature during operation	
• min.	0 °C
• max.	50 °C
Ambient temperature during storage/transportation	
• min.	-20 °C
• max.	60 °C
Relative humidity	
• Operation, max.	80 %; no condensation
• Condensation permissible	No
Operating systems	
Runs under operating system	
• Windows CE	Yes
• Windows Vista	Yes
• Windows XP	Yes
• Windows 7	Yes
Mechanics/material	
Material	
• Plastic	Yes; Light gray
Service life	
• Number of operating cycles, keys	50 000 000; Operations (minimum)
Dimensions	
Width	470 mm

Height	44 mm
Depth	195 mm
Weights	
Weight without packaging	1 400 g
Weight incl. packaging	1 620 g
Scope of supply	
Delivery quantity in pieces	1
Other	
Target devices	For SIMATIC HMI devices and IPCs with the appropriate slot
Usable in the following products	
<ul style="list-style-type: none"> • Product 1 • Product 2 	6AV2124-0GC13-0AX0 6AV2124-0QC13-0AX0
last modified:	10/15/2016