

PV fuse link, with blade contacts, NH2L, In: 400 A, gPV, Un DC: 1000 V, Front indicator



Figure similar

Model	
Product brand name	SENTRON
Product designation	PV fuse link
Design of the product	With blade contacts
Design of an identification indicator	front indicator
Design of the switching contact	Non-corroding, silver-plated
Design of the fuse link	Photovoltaic fuse, LV HRC design
General technical data	
Size of fuse system / acc. to DIN EN 60269-1	NH2L
Operating class of the fuse link	gPV
circuit-breaker / Design	3NE
Varying load factor (WL)	1
Supply voltage	
• at DC	1 000 V
Switching capacity	
Switching capacity current	
• at DC / acc. to IEC 60947-2 / rated value	30 kA

Dissipation

Power loss [W]	82 W
Power loss [W] <ul style="list-style-type: none">• for rated value of the current / at AC / in hot operating state / per pole• maximum	82 W 82 W

Electricity

Current / at AC / rated value	400 A
-------------------------------	-------

Product details

Product description	Not non-interchangeable
----------------------------	-------------------------

Mechanical Design

Mounting position	Any, preferably vertical
--------------------------	--------------------------

Environmental conditions

Ambient temperature <ul style="list-style-type: none">• minimum• maximum	-20 °C 50 °C
Environmental category	-20 to +50 at 95% relative humidity

Certificates

Equipment marking <ul style="list-style-type: none">• acc. to DIN EN 61346-2• acc. to DIN EN 81346-2	F F
--	--------

Declaration of Conformity	other
----------------------------------	--------------

[Miscellaneous](#)



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NE1332-4D>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NE1332-4D>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NE1332-4D

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>