

Product type designation		CP 443-5 Extended
		SIMATIC NET, CP 443-5 EXTENDED COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-400 TO PROFIBUS, DP, S5-COMPATIBLE PG/OP AND S7 COMMUNICATION
Transmission rate		
Transfer rate		
<ul style="list-style-type: none"> at the 1st interface / acc. to PROFIBUS 		9.6 kbit/s ... 12 Mbit/s
Interfaces		
Number of interfaces / acc. to Industrial Ethernet		0
<ul style="list-style-type: none"> at the 1st interface / acc. to PROFIBUS 		1
Design of the electrical connection		
<ul style="list-style-type: none"> at the 1st interface / acc. to PROFIBUS 		9-pin Sub-D socket (RS485)
Supply voltage, current consumption, power loss		
Type of voltage / of the supply voltage		DC
Supply voltage / 1 / from backplane bus		5 V
Permitted ambient conditions		
Ambient temperature		
<ul style="list-style-type: none"> during operation 		0 ... 60 °C
<ul style="list-style-type: none"> during storage 		-40 ... +70 °C
<ul style="list-style-type: none"> during transport 		-40 ... +70 °C
Relative humidity / at 25 °C / without condensation / during operation / maximum		95 %
Protection class IP		IP20
Design, dimensions and weight		
Module format		Compact module S7-400 single width
Width		25 mm
Height		290 mm
Depth		210 mm
Net weight		0.8 kg
Performance data / open communication		
Number of possible connections / for open communication / by means of SEND/RECEIVE blocks		
<ul style="list-style-type: none"> maximum 		16
Amount of data		

<ul style="list-style-type: none"> • as user data per connection / for open communication / by means of SEND/RECEIVE blocks / maximum 	240 byte
Performance data / S7 communication	
Number of possible connections / for S7 communication	
<ul style="list-style-type: none"> • maximum 	48
Performance data / telecontrol	
Protocol / is supported	
<ul style="list-style-type: none"> • TCP/IP 	No
Product functions / management, configuration	
Configuration software	
<ul style="list-style-type: none"> • required 	STEP 7 V5.1 or higher and NCM S7 for PROFIBUS
Further Information / Internet Links	
Internet-Link	
<ul style="list-style-type: none"> • to website: Selector SIMATIC NET SELECTION TOOL • to website: Industrial communication • to website: Information and Download Center • to website: Image database • to website: CAx Download Manager • to website: Industry Online Support 	http://www.siemens.com/snst http://www.siemens.com/simatic-net http://www.siemens.com/automation/net/catalog http://automation.siemens.com/bilddb http://www.siemens.com/cax http://support.automation.siemens.com
letzte Änderung:	Oct 18, 2014