

**Kontakt:**  
**tel. 32 440 22 10**  
**e-mail: [biuro@adegis.com](mailto:biuro@adegis.com)**  
**[www.adegis.com](http://www.adegis.com)**

PRZEŚLIJ ZAPYTANIE dot. czasu realizacji



Numer artykułu	Producent	Opis	Nowe	Używane
6AV1122-2BA00	SIEMENS	MP14B-527 MONITOR PANEL W. INSTALLATION KIT AND SYSTEM SPECIFIC KEYBOARD INSCRIPTION WITH 14" (36 CM) COLOR MONITOR F.CONNECTION TO CP526/CP527	0	1
6AV1122-2BC00	SIEMENS	MP14B-470 MONITOR PANEL W.INSTALLATION KIT AND SYSTEM SPECIFIC KEYBOARD INSCRIPTION WITH COLOR MONITOR 14" (36 CM) F.CONNECTION TO WF 470	0	6
6AV1132-0BA10	SIEMENS	OP1-220/5 OPERATOR PANEL 2-LINE DISPLAY 20 CPL 5 MM CHARACTER HEIGHT W.2 RECEPTACLES F.TF1 KEYPAD	0	4
6AV1132-0DA10	SIEMENS	OP1-240/5 OPERATOR PANEL 2-LINE DISPLAY 40 CPL 5 MM CHARACTER HEIGHT 1 RECEPT.EACH F.TF1,TF2 OR TF3,	0	1
6AV1132-0DB10	SIEMENS	OP1-240/8 OPERATOR PANEL 2-LINE DISPLAY 40 CPL 8 MM CHARACTER HEIGHT 1 RECEPT.EACH F.TF1/TF2 OR TF3	1	1
6AV1142-0DA10	SIEMENS	TD1-240/5 TEXT DISPLAY W/O TEXT MEMORY 2-LINE DISPLAY 40 CPL 5 MM CHARACTER HEIGHT	0	2
6AV1142-0DB10	SIEMENS	TD1-240/8 TEXT DISPLAY W/O TEXT MEMORY 2-LINE DISPLAY 40 CPL 8 MM CHARACTER HEIGHT	0	3
6AV1142-1DA10	SIEMENS	TD2-240/5 TEXT DISPLAY W. TEXT MEMORY (CMOS RAM, BUFFERED) 120 KBYTES NET 2-LINE DISPLAY, 40 CPL 5 MM CHARACTER HEIGHT	0	4
6AV1142-1DB10	SIEMENS	TD2-240/8 TEXT DISPLAY W. TEXT MEMORY (CMOS RAM, BUFFERED) 120 KBYTES NET 2-LINE DISPLAY, 40 CPL 8 MM CHARACTER HEIGHT	0	4
6AV1222-0AA00	SIEMENS	CP2000-A1 INTERFACE PROCESSOR FOR SIMATIC S5 W.4 DEVICE INTERFACES N.MOS VERSION V3.X MONOCHROME VERSION	0	1
6AV1902-0AA00	SIEMENS	TF1 KEYPAD F.PLUGGING INTO OP1, 16 KEYS 16 LED, W.1 SET OF KEYBOARD LABELLING STRIPS	0	5
6AV1902-0AB00	SIEMENS	TF2 KEYPAD F.PLUGGING INTO OP1, 20 KEYS 20 LED, W.1 SET OF KEYBOARD LABELLING STRIPS	0	5
6AV2100-0AA01-0AA0	SIEMENS	SIMATIC WINCC BASIC V11 SP2 ENGINEERING-SW,FLOATING LICENSE SW AND DOCUMENTATION ON DVD, LICENSE KEY ON USB STICK, CLASS A, 6 LANGUAGES(GE,EN,IT,FR,SP,CH), EXECUTABLE UNDER WINDOWS XP (32 BIT) / WINDOWS 7 (32/64 BIT)	+ 10	0
6AV2100-0AA02-0AA5	SIEMENS	SIMATIC WINCC BASIC V12 SP1 ENGINEERING-SW,FLOATING LICENSE SW AND , DOCUMENTATION ON DVD, LICENSE KEY ON USB STICK, CLASS A, 6 , LANGUAGES(GE,EN,IT,FR,SP,CH), EXECUTABLE UNDER WINDOWS XP (32 BIT) / , WINDOWS 7 (32/64 BIT) / WINSRV 2008 R2 (64 BIT),	5	1
6AV2100-0AA02-0AA7	SIEMENS	SIMATIC WINCC BASIC V12 SP1 ENGINEERING-SW, TRIAL LICENSE, SW UND DOKUMENTATION AUF DVD, KLASSE A, 6-SPRACHIG (DE,EN,IT,FR,SP,CH), ABLAUFFAEHIG UNTER WINDOWS XP (32 BIT)/ WINDOWS 7 (32/64 BIT)/ WINSRV 2008 R2 (64 BIT), ZUR PROJEKTIERUNG VON SIMATIC B	2	0
6AV2100-0AA03-0AA5	SIEMENS	SIMATIC WINCC BASIC V13 SP1 ENGINEERING SOFTWARE IN TIA PORTAL; FLOATING LICENSE; SOFTWARE AND DOCUMENTATION ON DVD; LICENSE KEY ON USB-STICK; CLASS A; 6 LANGUAGES: GE,EN,IT,FR,SP,CH; EXECUTABLE UNDER WINDOWS 7 (32 BIT, 64 BIT), WINDOWS 8.1 (64 BIT),	+ 10	0

6AV2100-0AA03-0AA7	SIEMENS	SIMATIC WINCC BASIC TRIAL V13 SP1, ENGINEERING SOFTWARE IN TIA PORTAL; TRIAL LICENSE; SW AND DOCUMENTATION ON DVD; CLASS A; 6 LANGUAGES: GE,EN,IT,FR,SP,CH; EXECUTABLE UNDER WINDOWS 7 (32 BIT, 64 BIT), WINDOWS 8.1 (64 BIT), WINSRV 2012 R2 (64 BIT); FO	3	0
6AV2101-0AA01-0AA5	SIEMENS	SIMATIC WINCC COMFORT V11 SP2 ENGINEERING-SW,FLOATING LICENSE SW UND DOKUMENTATION AUF DVD, LIZENZSCHLUESSEL AUF USB-STICK, KLASSE A, 6-SPRACHIG (DE,EN,IT,FR,SP,CH), ABLAUF U. WINDOWS XP (32 BIT)/ WINDOWS 7 (32/64 BIT) ZUR PROJEKTIERUNG VON SIMATIC P	4	0
6AV2101-0AA02-0AA5	SIEMENS	SIMATIC WINCC COMFORT V12 SP1 , ENGINEERING-SW,FLOATING LICENSE SW UND DOKUMENTATION AUF DVD, , LIZENZSCHLUESSEL AUF USB-STICK, KLASSE A, 6-SPRACHIG , (DE,EN,IT,FR,SP,CH), ABLAUF U. WINDOWS XP (32 BIT) / WINDOWS 7 (32/64 , BIT) / WINSRV 2003 R2/2008	1	0
6AV2101-3AA03-0AE5	SIEMENS	SIMATIC WINCC COMFORT V13 SP1 UPGRADE V11..V12 -> V13 SP1 OR V11..V12 COMBO ->V13 SP1 COMBO; ENGINEERING SOFTWARE IN TIA PORTAL; FLOATING LICENSE; SOFTWARE AND DOCUMENTATION ON DVD; LICENSE KEY ON USB-STICK; CLASS A; 6 LANGUAGES: GE,EN,IT,FR,SP,CH; E	1	0
6AV2102-0AA01-0AA7	SIEMENS	SIMATIC WINCC COMFORT/ADVANCED V11 SP2, , ENGINEERING-SW, TRIAL LICENSE, SW UND DOKUMENTATION AUF DVD, KLASSE A, , 6-SPRACHIG (DE,EN,IT,FR,SP,CH), ABLAUFFAEHIG UNTER WINDOWS XP (32 BIT)/ , WINDOWS 7 (32/64 BIT) ZUR PROJEKTIERUNG VON SIMATIC PANELS, W	3	0
6AV2102-0AA02-0AA7	SIEMENS	SIMATIC WINCC COMFORT/ADVANCED V12 SP1, , ENGINEERING-SW, TRIAL LICENSE, SW UND DOKUMENTATION AUF DVD, KLASSE A, , 6-SPRACHIG (DE,EN,IT,FR,SP,CH), ABLAUFFAEHIG UNTER WINDOWS XP (32 BIT)/ , WINDOWS 7 (32/64 BIT) / WINSRV 2003 R2/2008 (32 BIT) / WINSRV	1	0
6AV2102-0AA03-0AA7	SIEMENS	SIMATIC WINCC COMFORT/ADVANCED TRIAL V13 SP1, ENGINEERING SOFTWARE IN TIA PORTAL; TRIAL LICENSE; SW AND DOCUMENTATION ON DVD; CLASS A; 6 LANGUAGES: GE,EN,IT,FR,SP,CH; EXECUTABLE UNDER WINDOWS 7 (32 BIT, 64 BIT), WINDOWS 8.1 (64 BIT), WINSRV 2008/2012	3	0
6AV2102-3AA02-0AE5	SIEMENS	SIMATIC WINCC ADVANCED V12 SP1 UPGRADE V11 -> V12 SP1, ENGINEERING-SW,FLOATING LICENSE SW AND DOCUMENTATION ON DVD, LICENSE KEY ON USB STICK CLASS A, 6 LANGUAGES(GE,EN,IT,FR,SP,CH), EXECUTABLE UNDER WINDOWS XP (32 BIT) / WINDOWS 7 (32/64 BIT) / WINSR	1	0
6AV2103-0AA01-0AA7	SIEMENS	SIMATIC WINCC PROFESSIONAL V11 SP2, ENGINEERING-SW, TRIAL LICENSE, SW UND DOKUMENTATION AUF DVD, KLASSE A, 6-SPRACHIG (DE,EN,IT,FR,SP,CH), ABLAUFFAEHIG UNTER WINDOWS XP (32 BIT)/ WINDOWS 7 (32/64 BIT) ZUR PROJEKTIERUNG VON SIMATIC PANELS, WINCC RUNTI	2	0
6AV2103-0AA03-0AA7	SIEMENS	SIMATIC WINCC PROFESSIONAL TRIAL V13 SP1, ENGINEERING SOFTWARE IN TIA PORTAL; TRIAL LICENSE; SW AND DOCUMENTATION ON DVD; CLASS A; 6 LANGUAGES: GE,EN,IT,FR,SP,CH; EXECUTABLE UNDER WINDOWS 7 (32 BIT, 64 BIT), WINDOWS 8.1 (64 BIT), WINSRV 2008/2012 R2	3	0
6AV2103-0XA00-0AL0	SIEMENS	SIMATIC WINCC PROFESSIONAL MAX. POWERTAGS, SUS SOFTWARE UPDATE SERVICE, WITHIN THE FRAMEWORK OF THIS CONTRACT, YOU WILL RECEIVE UPDATED SOFTWARE VERSIONS FOR A PERIOD OF ONE YEAR. IF IT IS NOT CANCELED THREE MONTHS PRIOR TO ITS EXPIRATION. PERIOD OF	1	0
6AV2123-2DB03-0AX0	SIEMENS	SIMATIC HMI, KTP400 BASIC, BASIC PANEL, KEY AND TOUCH OPERATION, 4" TFT DISPLAY, 65536 COLORS, PROFINET INTERFACE, CONFIGURATION FROM WINCC BASIC V13/ STEP7 BASIC V13, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD	+ 10	+ 10

6AV2123-2GA03-0AX0	SIEMENS	SIMATIC HMI, KTP700 BASIC DP, BASIC PANEL, KEY AND TOUCH OPERATION, 7" TFT DISPLAY, 65536 COLORS, PROFIBUS INTERFACE, CONFIGURATION FROM WINCC BASIC V13/ STEP7 BASIC V13, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD	4	6
6AV2123-2GB03-0AX0	SIEMENS	SIMATIC HMI, KTP700 BASIC, BASIC PANEL, KEY AND TOUCH OPERATION, 7" TFT DISPLAY, 65536 COLORS, PROFINET INTERFACE, CONFIGURATION FROM WINCC BASIC V13/ STEP7 BASIC V13, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD	8	5
6AV2123-2JB03-0AX0	SIEMENS	SIMATIC HMI, KTP900 BASIC, BASIC PANEL, KEY AND TOUCH OPERATION, 9" TFT DISPLAY, 65536 COLORS, PROFINET INTERFACE, CONFIGURATION FROM WINCC BASIC V13/ STEP7 BASIC V13, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD	3	+ 10
6AV2123-2MA03-0AX0	SIEMENS	SIMATIC HMI, KTP1200 BASIC DP, BASIC PANEL, KEY AND TOUCH OPERATION, 12" TFT DISPLAY, 65536 COLORS, PROFIBUS INTERFACE, CONFIGURATION FROM WINCC BASIC V13/ STEP7 BASIC V13, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD	3	1
6AV2123-2MB03-0AX0	SIEMENS	SIMATIC HMI, KTP1200 BASIC, BASIC PANEL, KEY AND TOUCH OPERATION, 12" TFT DISPLAY, 65536 COLORS, PROFINET INTERFACE, CONFIGURATION FROM WINCC BASIC V13/ STEP7 BASIC V13, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD	6	3
6AV2124-0GC01-0AX0	SIEMENS	SIMATIC HMI TP700 COMFORT, COMFORT PANEL, TOUCH OPERATION, 7" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 12 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11	0	+ 10
6AV2124-0GC13-0AX0	SIEMENS	SIMATIC HMI TP700 COMFORT OUTDOOR, COMFORT PANEL, TOUCH OPERATION, 7" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 12 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V13 SP1, HSP	0	1
6AV2124-0JC01-0AX0	SIEMENS	SIMATIC HMI TP900 COMFORT, COMFORT PANEL, TOUCH OPERATION, 9" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 12 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11	8	+ 10
6AV2124-0MC01-0AX0	SIEMENS	SIMATIC HMI TP1200 COMFORT, COMFORT PANEL, TOUCH OPERATION, 12" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 12 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11	+ 10	+ 10
6AV2124-0QC02-0AX0	SIEMENS	SIMATIC HMI TP1500 COMFORT, COMFORT PANEL, TOUCH OPERATION, 15" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 24 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11 SP2	0	+ 10
6AV2124-0QC02-0AX1	SIEMENS	SIMATIC HMI TP1500 COMFORT, COMFORT PANEL, TOUCH OPERATION, 15" WIDESCREEN TFT DISPLAY, 16 MILLION COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 24 MB CONFIGURATION MEMORY, WEC 2013, CONFIGURABLE FROM WINCC COMFORT V14 SP1 WITH HSP	1	0
6AV2124-0QC24-1AX0	SIEMENS	SIMATIC HMI TP1500 COMFORT PRO, STAND, COMFORT PANEL, TOUCH OPERATION, 15"; WIDESCREEN TFT DISPLAY 16 MILLION COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 24 MB CONFIGURATION MEMORY, WEC 2013, CONFIGURABLE FROM WINCC COMFORT V14 SP1 WITH HS	0	1

6AV2124-0UC02-0AX0	SIEMENS	SIMATIC HMI TP1900 COMFORT, COMFORT PANEL, TOUCH OPERATION, 19" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 24 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11 SP2	0	2
6AV2124-0UC02-0AX1	SIEMENS	SIMATIC HMI TP1900 COMFORT, COMFORT PANEL, TOUCH OPERATION, 19" WIDESCREEN TFT DISPLAY, 16 MILLION COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 24 MB CONFIGURATION MEMORY, WEC 2013, CONFIGURABLE FROM WINCC COMFORT V14 SP1 WITH HSP	0	1
6AV2124-1DC01-0AX0	SIEMENS	SIMATIC HMI KP400 COMFORT, COMFORT PANEL, KEY OPERATION, 4" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 4 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11	0	+ 10
6AV2124-1GC01-0AX0	SIEMENS	SIMATIC HMI KP700 COMFORT, COMFORT PANEL, KEY OPERATION, 7" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 12 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11	0	+ 10
6AV2124-1JC01-0AX0	SIEMENS	SIMATIC HMI KP900 COMFORT, COMFORT PANEL, KEY OPERATION, 9" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 12 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11	0	6
6AV2124-1MC01-0AX0	SIEMENS	SIMATIC HMI KP1200 COMFORT, COMFORT PANEL, KEY OPERATION, 12" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 12 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11	0	+ 10
6AV2124-1QC02-0AX0	SIEMENS	SIMATIC HMI KP1500 COMFORT, COMFORT PANEL, KEY OPERATION, 15" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 24 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11 SP2	0	5
6AV2124-2DC01-0AX0	SIEMENS	SIMATIC HMI KTP400 COMFORT, COMFORT PANEL, TOUCH AND KEY OPERATION, 4" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 4 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11	+ 10	9
6AV2124-5JC30-0YB0	SIEMENS	SIMATIC TP900 COMFORT, COMFORT PANEL, WINDOWS CE 6.0, TOUCH OPERATION, 9" WIDESCREEN-TFT-DISPLAY, WITH CUSTOMIZED EXPRESS-DESIGN MODIFICATION BASED ON: 6AV2124-0JC01-0AX0	0	1
6AV2144-6JB10-1WP0	SIEMENS	SIMATIC HMI, KTP900 SWP PN CUSTOMER SPECIFIC, KEY AND TOUCH ...	0	1
6AV2144-8JC20-0AA0	SIEMENS	SIMATIC HMI TP900 COMFORT INOX STAINLESS STEEL FRONT, GLASS PANE, CAPACITIVE TOUCH, DEGREE OF PROTECTION ON FRONT IP69K, 9" WIDESCREEN TFT DISPLAY, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 12 MB CONFIGURATION MEMORY, WINDOWS CE 6.0, CONFIGURABL	1	0
6AV2144-8QC10-0AA0	SIEMENS	SIMATIC HMI TP1500 COMFORT INOX STAINLESS STEEL FRONT, MEMBRANE COVERING DISPLAY, PROTECTION CLASS FRONT IP66K, 15" WIDESCREEN-TFT-DISPLAY, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 24 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMF	0	1
6AV2181-5AF02-0AX0	SIEMENS	SIMATIC HMI CONNECTING CABLE FOR KTPX00(F) MOBILE, LENGTH 2 METER	0	1
6AV2181-5AF05-0AX0	SIEMENS	SIMATIC HMI CONNECTING CABLE FOR KTPX00(F) MOBILE, LENGTH 5 METER;	0	1
6AV3010-1EL00	SIEMENS	TD 10/240-8 TEXT DISPLAY TWO-LINE DISPLAY 40 CHARACTERS PER LINE	3	0
6AV3017-1NE30-0AX0	SIEMENS	TEXT DISPLAY TD17 LC DISPLAY, BACK-LIT LED, 4 LINES X 20 CHARACTERS FOR SIMATIC S5 ,S05 ,S7 ,M7 NATIVE DRIVERS, PROFIBUS-DP12	0	8
6AV3017-1NE30-0AX1	SIEMENS	TEXT DISPLAY TD17 LC DISPLAY, BACK-LIT LED, 4X20/8X40 LINES X CHARACTERS FOR SIMATIC S5 ,S05 ,S7 ,M7 NATIVE DRIVERS, PROFIBUS-DP12	1	0

6AV3020-1EL00	SIEMENS	TD 20/240-8 TEXT DISPLAY TWO-LINE DISPLAY 40 CHARACTERS PER LINE	0	6
6AV3503-1DB10	SIEMENS	OP 3 OPERATOR PANEL WITH CABLE FOR CONNECTION TO SIMATIC S7, SERIAL CABLE FOR CONFIGURING AND CABLE FOR POWER SUPPLY	0	+ 10
6AV3572-2FM00	SIEMENS	LC-DISPLAY (MONOCHROME) F. OP25 WITH CCFL-ILLUMINATION MTBF: 25.000 H	+ 10	0
6AV3573-1FR00	SIEMENS	MONOCHR. LC DISPLAY FOR OP35	4	0
6AV3573-2AT00	SIEMENS	REPLACEMENT ILLUMINATION FOR IW30, OP50, OP40-SM AND OP30/C (6AV3530-1RU31) COLD-CATHODE TECHNOLOGY	3	0
6AV3591-1AD00-0AA0	SIEMENS	OP3 MANUAL, GERMAN	1	0
6AV3591-1BF00-0AB0	SIEMENS	OP 15 OPERATOR PANEL MANUAL ENGLISCH	1	0
6AV3607-1JC00-0AX0	SIEMENS	OP 7/PP OPERATOR PANEL LC DISPLAY, LED ILLUMINATED 4 LINES, 20 CHARACTERS/LINE SIMATIC S5, 505, NATIVE DRIVERS NOT UL/CSA-LISTED	0	+ 10
6AV3607-1JC00-0AX1	SIEMENS	OPERATOR PANEL OP7/PP LC-DISPLAY, LED ILLUMINATED 4-LINES, 20 CHARAC./ LINE, SIMATIC S5, 505,NATIVE DRIVERS, UL/CSA-LISTED	0	+ 10
6AV3607-1JC00-0AX2	SIEMENS	OPERATOR PANEL OP7/PP LC DISPLAY, BACKLIT LED 4 LINES, 20 CHARACTERS/LINE, SIMATIC S5, 505,NATIVE DRIVERS, UL/CSA-LISTED	1	+ 10
6AV3607-1JC20-0AX0	SIEMENS	OP 7/DP OPERATOR PANEL LC DISPLAY, LED ILLUMINATED 4 LINES, 20 CHARACTERS/LINE SIMATIC S7, M7, PROFIBUS-DP 1.5 MBAUD NOT UL/CSA-LISTED	0	+ 10
6AV3607-1JC20-0AX1	SIEMENS	OPERATOR PANEL OP7/DP LC DISPLAY, BACKLIT LED 4 LINES, 20 CHARACTERS/LINE, SIMATIC S7, M7, PROFIBUS-DP 1.5 MBAUD UL/CSA-LISTED	0	+ 10
6AV3607-1JC20-0AX2	SIEMENS	OPERATOR PANEL OP7/DP LC DISPLAY, BACKLIT LED 4 LINES, 20 CHARACTERS/LINE, SIMATIC S7, M7, PROFIBUS-DP 1.5 MBAUD UL/CSA-LISTED	0	+ 10
6AV3607-1JC30-0AX0	SIEMENS	OP 7/DP12 OPERATOR PANEL LC DISPLAY, LED ILLUMINATED 4 LINES, 20 CHARACTERS/LINE SIMATIC S5, 505, S7, M7, NATIVE DRIVERS, PROFIBUS-DP 12 MBAUD NOT UL/CSA-LISTED	0	+ 10
6AV3607-1JC30-0AX1	SIEMENS	OPERATOR PANEL OP7/DP12 LC DISPLAY, BACKLIT LED 4 LINES, 20 CHARACTERS/LINE, SIMATIC S5, 505, S7, M7, NATIVE DRIVERS, PROFIBUS-DP 12 MBAUD, UL/CSA-LISTED	0	+ 10
6AV3607-1JC30-0AX2	SIEMENS	OPERATOR PANEL OP7/DP12 LC DISPLAY, BACKLIT LED 4 LINES, 20 CHARACTERS/LINE, SIMATIC S5, 505, S7, M7, NATIVE DRIVERS, PROFIBUS-DP 12 MBAUD, UL/CSA-LISTED	0	+ 10
6AV3607-7JC20-0AQ1	SIEMENS	OEM-OP7 HANDHELD HOUSING 2.5 M CABLE, 2 SWITCHES, MPI WITH EMERGENCY OFF, EUCHNER SWITCH	0	1
6AV3617-1JC00-0AX0	SIEMENS	OP 17/PP OPERATOR PANEL LC DISPLAY, LED ILLUMINATED 4X20/8X40 LINESXCHARACTERS SIMATIC S5, 505, NATIVE DRIVERS NOT UL/CSA-LISTED	0	+ 10
6AV3617-1JC00-0AX1	SIEMENS	OPERATOR PANEL OP17/PP LC-DISPLAY, LED ILLUMINATED 4X20/8X40 LINESXCHARAC. SIMATIC S5, 505,NATIVE DRIVERS, UL/CSA-LISTED	0	+ 10
6AV3617-1JC00-0AX2	SIEMENS	OPERATOR PANEL OP17/PP LC DISPLAY, BACKLIT LED 4X20/8X40 LINESXCHARACTERS SIMATIC S5, 505,NATIVE DRIVERS, UL/CSA-LISTED	0	+ 10
6AV3617-1JC20-0AX0	SIEMENS	OP 17/DP OPERATOR PANEL LC DISPLAY, LED ILLUMINATED 4X20/8X40 LINESXCHARACTERS SIMATIC S7, M7, PROFIBUS-DP 1.5 MBAUD NOT UL/CSA-LISTED	0	+ 10
6AV3617-1JC20-0AX1	SIEMENS	OPERATOR PANEL OP17/DP LC DISPLAY, BACKLIT LED 4X20/8X40 LINESXCHARACTERS SIMATIC S7, M7 PROFIBUS-DP 1.5 MBAUD UL/CSA-LISTED	10	+ 10
6AV3617-1JC20-0AX2	SIEMENS	OPERATOR PANEL OP17/DP LC DISPLAY, BACKLIT LED 4X20/8X40 LINESXCHARACTERS SIMATIC S7, M7 PROFIBUS-DP 1.5 MBAUD UL/CSA-LISTED	0	+ 10
6AV3617-1JC30-0AX0	SIEMENS	OP 17/DP12 OPERATOR PANEL LC DISPLAY, LED ILLUMINATED 4X20/8X40 CHARACTERSXCHARACTERS SIMATIC S5, 505, S7, M7, NATIVE DRIVERS, PROFIBUS-DP 12 MBAUD NOT UL/CSA-LISTED	0	+ 10

6AV3617-1JC30-0AX1	SIEMENS	OPERATOR PANEL OP17/DP12 LC DISPLAY, BACKLIT LED 4X20/8X40 LINESXCHARACTERS SIMATIC S5, 505, S7, M7, NATIVE DRIVERS, PROFIBUS-DP 12 MBAUD, UL/CSA-LISTED	0	+ 10
6AV3617-1JC30-0AX2	SIEMENS	OPERATOR PANEL OP17/DP12 LC DISPLAY, BACKLIT LED 4X20/8X40 LINESXCHARACTERS SIMATIC S5, 505, S7, M7, NATIVE DRIVERS, PROFIBUS-DP 12 MBAUD, UL/CSA-LISTED	3	+ 10
6AV3617-4EB12-0AA0	SIEMENS	PP32/OP17 BUILT-IN UNIT 32 ILLUMINATED PUSHBUTTONS 12+1 ADDIT. ELEMENTS W. OP17/DP-12, DP/MPI LINKING	0	9
6AV3627-1JK00-0AX0	SIEMENS	OPERATOR PANEL OP27 STN MONOCHROME LC DISPLAY	0	+ 10
6AV3627-1LK00-0AX0	SIEMENS	OPERATOR PANEL OP27 STN COLOR LC DISPLAY	0	1
6AV3627-1LK00-1AX0	SIEMENS	OPERATOR PANEL OP27 STN COLOR LC DISPLAY	0	+ 10
6AV3627-1NK00-0AX0	SIEMENS	TOUCH PANEL TP27-6 6" STN MONOCHROME LC DISPLAY 1 MB FLASH-EPROM	0	2
6AV3627-1NK00-2AX0	SIEMENS	TOUCH PANEL TP27-6 6" STN MONOCHROME LC DISPLAY PCMCIA, 1 MB FLASH-EPROM	0	+ 10
6AV3627-1QK00-0AX0	SIEMENS	TOUCH PANEL TP27-6 6" STN COLOR LC DISPLAY 1 MB FLASH-EPROM	0	+ 10
6AV3627-1QK00-2AX0	SIEMENS	TOUCH PANEL TP27-6 6" STN COLOR LC DISPLAY PCMCIA, 1 MB FLASH-EPROM (6ES5374-2KK21) MUST BE ORDERED SEPARATELY	0	+ 10
6AV3627-1QL00-0AX0	SIEMENS	TOUCH PANEL TP27-10 10.3" STN COLOR LC DISPLAY 1 MB FLASH-EPROM	0	+ 10
6AV3627-1QL01-0AX0	SIEMENS	TOUCH PANEL TP27-10 10.4" STN COLOR LC DISPLAY 1 MB FLASH-EPROM	+ 10	+ 10
6AV3627-5AB00-0AC0	SIEMENS	OPERATOR PANEL OP27 STN MONO , 6AV3627-1JK00-0AX0 CUSTOMER SPECIFIC DESIGN B SPECIAL DESIGN FOR BEUMER , CO.,	0	1
6AV3627-6LK00-0AA0	SIEMENS	OPERATOR PANEL OP27 STN COLOR 6AV3627-1LK00-0AX0 WITH LEVEL FRONT	0	2
6AV3627-7JK00-0AX0	SIEMENS	OPERATOR PANEL OP27 STN-MONOCHROME LC-DISPLAY CUSTOMER-SPECIFIC LAYOUT	0	1
6AV3637-1LL00-0AX0	SIEMENS	OP37 OPERATOR PANEL 100 MHZ PENTIUM, 8 MB RAM WITH LC COLOR GRAPHIC DISPLAY (STN) W/O HD, W/O FD	0	+ 10
6AV3637-1LL00-0AX1	SIEMENS	OPERATOR PANEL OP37 PENTIUM 100 MHZ, 8 MB RAM W. LC COLOR GRAPH.DISPLAY (STN) W/O HD, W/O FD	0	+ 10
6AV3637-1LL00-0BX0	SIEMENS	OP37 OPERATOR PANEL 100 MHZ PENTIUM, 8 MB RAM WITH LC COLOR GRAPHIC DISPLAY (STN) W/O HD, WITH FD	0	4
6AV3637-1LL00-0FX0	SIEMENS	OPERATOR PANEL OP37 PENTIUM 100 MHZ, 8 MB RAM W. LC COLOR GRAPH. DISPLAY(STN) W/O HD, WITH FD	0	3
6AV3637-1LL00-0FX1	SIEMENS	OPERATOR PANEL OP37 PENTIUM 100 MHZ, 8 MB RAM W. LC COLOR GRAPH.DISPLAY (STN) W/O HD, WITH FD	0	3
6AV3637-1ML00-0BX0	SIEMENS	OP37 OPERATOR PANEL 100 MHZ PENTIUM, 8 MB RAM WITH LC COLOR GRAPHIC DISPLAY (TFT) W/O HD, WITH FD	0	+ 10
6AV3637-1ML00-0FX0	SIEMENS	OPERATOR PANEL OP37 PENTIUM 100 MHZ, 8 MB RAM W. LC COLOR GRAPH. DISPLAY(TFT) W/O HD, WITH FD	0	10
6AV3637-1PL00-0AX0	SIEMENS	TOUCH PANEL TP37 PENTIUM 100MHZ, 8MB RAM TFT-DISPLAY (8 COLORS), 10,4" ANALOG TOUCH,W/O. HD, W/O FD	0	+ 10
6AV3637-6BC54-1AD0	SIEMENS	OEM-OP37 JCI	0	2
6AV3647-1ML02-3CC0	SIEMENS	OPERATOR PANEL OP47 WINCC PENTIUM 200MHZ, TFT COLOR DISP: 32 MB RAM, 1.6 GB HARD DISK POINT TO POINT CONNECTION	0	2
6AV3647-2ML40-3CA0	SIEMENS	OPERATOR PANEL OP47/WINCC W. ACTIVE TFT COLOR LC DISPLAY SOFTWARE WINCC V4.0, WIN95 MPI CONNECTION 128 VAR., RUNTIME, GERMAN	0	1
6AV3672-1CA01	SIEMENS	DIRECT CONTROL KEY MODULE FOR OP27/TP27-6 8 OUTPUTS	+ 10	0
6AV3672-1CA11	SIEMENS	CPI 1 (CONTROL PANEL INTERFACE) FOR OP27/TP27 16 I/O	+ 10	4
6AV3673-1CA00	SIEMENS	DIRECT CONTROL KEY MODULE FOR OP37/OP47/TP37 16 OUTPUTS	0	1
6AV3673-1CA01	SIEMENS	DIRECT KEYPAD FOR OP37/OP47/TP37 AND OP37/PRO 16 OUTPUTS	4	2

6AV3673-1CA11	SIEMENS	CPI 1 (CONTROL PANEL INTERFACE) FOR OP37/TP27-10/37 16 IN/OUTPUTS	1	5
6AV3673-1CA20	SIEMENS	EXPANSION SLOTS FOR OP 37/47 AND OP37/PRO	9	0
6AV3673-1CA31	SIEMENS	CPI 2 (CONTROL PANEL INTERFACE) FOR OP27/37/TP27-10/37 32 IN/OUTPUTS	+ 10	7
6AV3681-1BB06-0AX0	SIEMENS	SIMATIC PROAGENT/PC FOR PC-BASED SYSTEMS RUNTIME LICENSE, V5.X, V6.X PROCESS DIAGNOSTICS BASED ON STEP7, S7-GRAPH AND S7-PDIAG	1	0
6AV3681-1CB06-0AX0	SIEMENS	SIMATIC PROAGENT/MP FOR WINDOWS CE DEVICES (NOT TP/OP170) RUNTIME LICENSE, V6.X PROCESS DIAGNOSTICS BASED ON STEP7, S7-GRAPH AND S7-PDIAG	1	1
6AV3970-1XB10-0AA0	SIEMENS	INTERFACE MODULE FOR TD10/20 PARALLEL INTERFACE	3	3
6AV3970-1XB31-0AA0	SIEMENS	INTERFACE SUBMODULE FOR TD10/20, OP20, L2 DP INTERFACE	0	7
6AV3971-1BA01-0CA0	SIEMENS	MEMORY SUBMODULE FOR TD10 WITH FIRMWARE FOR AS511,FAP,L1,PARALLEL,64 KBYTES,	1	5
6AV3971-1BA03-0CA0	SIEMENS	MEMORY SUBMODULE FOR TD10 WITH FIRMWARE FOR AS511, FAP, L1, PARALLEL, 256 KBYTES	2	0
6AV3971-1BA03-0DA0	SIEMENS	MEMORY MODULE FOR TD10 WITH FIRMWARE FOR CONNECT. WITH PROFIBUS (FDL), DP, SIMATIC 505, NON-SIEMENS PLC'S 256 KBYTE	3	2
6AV3971-1CA01-0CA0	SIEMENS	MEMORY SUBMODULE FOR TD20 WITH FIRMWARE FOR AS511, FAP, L1, PARALLEL, 64 KBYTES	1	2
6AV3971-1CA01-0DA0	SIEMENS	MEMORY MODULE FOR TD20 WITH FIRMWARE FOR CONNECT. WITH PROFIBUS (FDL), DP, SIMATIC 505, NON-SIEMENS PLC'S 64 KBYTE	1	0
6AV3971-1CA02-0DA0	SIEMENS	MEMORY MODULE FOR TD20 WITH FIRMWARE FOR CONNECT. WITH PROFIBUS (FDL), DP, SIMATIC 505, NON-SIEMENS PLC'S 128 KBYTE	0	1
6AV3971-1CA03-0DA0	SIEMENS	MEMORY MODULE FOR TD20 WITH FIRMWARE FOR CONNECT. WITH PROFIBUS (FDL), DP, SIMATIC 505, NON-SIEMENS PLC'S 256 KBYTE	1	2
6AV3971-1NA01-0AA0	SIEMENS	MEMORY SUBMODULE FLASH-EPROM FOR OP20, 64 KBYTES	1	2
6AV3971-1NA01-0BA0	SIEMENS	SPEICHERMODUL FAP OP20, 64 KB	1	0
6AV3971-1NA01-0CA0	SIEMENS	MEMORY SUBMODULE FOR OP20 WITH FIRMWARE FOR AS511, FAP, L1, 64 KBYTES	4	+ 10
6AV3971-1NA01-0DA0	SIEMENS	MEMORY MODULE FOR OP20 WITH FIRMWARE FOR CONNECT. WITH PROFIBUS (FDL), DP, SIMATIC 505, NON-SIEMENS PLC'S 64 KBYTE	2	2
6AV3971-1NA02-0DA0	SIEMENS	MEMORY MODULE FOR OP20 WITH FIRMWARE FOR CONNECT. WITH PROFIBUS (FDL), DP, SIMATIC 505, NON-SIEMENS PLC'S 128 KBYTE	0	2
6AV3971-1NA03-0AA0	SIEMENS	MEMORY SUBMODULE FLASH-EPROM FOR OP20, 256 KBYTES	1	1
6AV3971-1NA03-0CA0	SIEMENS	MEMORY SUBMODULE FOR OP20 WITH FIRMWARE FOR AS511, FAP, L1, 256 KBYTES	0	3
6AV3971-1PA05-1AA0	SIEMENS	MEMORY SUBMODULE FOR OP30 W/O EPROM OPERATING SYSTEM 768 KB FLASH-EPROM	1	1
6AV3980-1AA21-0AX0	SIEMENS	STANDARD FB TO CONNECT TD/OP TO SIMATIC S5 -90U TO -155U 3.5" DISK (MS-DOS) VERS. 3.32, SINGLE LICENSE	2	1
6AV5040-1BF41-0AA0	SIEMENS	MP40//C36-B MONITOR PANEL FOR CP 526/527/528-A (LOW AND HIGH RESOLUTION), FOR COROS LS-A, LS-B, LS-C, FOR WF470 AND GRACIS S5 WITHOUT KEYBOARD PAD	0	1
6AV6371-1DR06-1AX1	SIEMENS	WINCC/CONNECTIVITY PACK V6.1 SP1, OPTION F.SIMATIC WINCC V6.0 SP4	1	0
6AV6372-1DE04-0AX7	SIEMENS	SIMATIC POWERRATE V4.0 SP3 TRIAL (30 DAYS), POWER-MANAGEMENT FOR WINCC V7.4/V7.3 SECOND EDITION/ V7.2, PCS 7 V8.1 SP1/V8.1/ V8.0 SP2/V7.1 SP4; SOFTWARE + DOCU ON DVD 2 LANGUAGES(GE,EN)	2	0
6AV6542-0AA15-1AX0	SIEMENS	SIMATIC MP270 MULTI PANEL 10" CSTN-DISPLAY	0	1
6AV6542-0AB15-1AX0	SIEMENS	SIMATIC MP270 MULTI PANEL 10" TFT-DISPLAY	0	5
6AV6542-0AC15-2AX0	SIEMENS	SIMATIC MP270 MULTI PANEL 10" STN DISPLAY 12 MB FLASH-EPROM / 32 MB RAM CONFIGURABLE WITH PROTOOL FROM VERSION V5.2+SP2	0	4

6AV6542-0AD15-2AX0	SIEMENS	SIMATIC MP270 MULTI PANEL 10" TFT DISPLAY 12 MB FLASH-EPROM / 32 MB RAM CONFIGURABLE WITH PROTOOL FROM VERSION V5.2+SP2	0	+ 10
6AV6542-0AF15-2AX0	SIEMENS	SIMATIC MP270 MULTI PANEL 10" TFT DISPLAY 8 MB FLASH-EPROM / 32 MB RAM CONFIGURABLE W. PROTOOL FROM VERSION V5.2	0	2
6AV6542-0AG10-0AX0	SIEMENS	SIMATIC MP270B KEYS MULTI PANEL 10.4" TFT DISPLAY 4 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0	0	+ 10
6AV6542-0BB15-2AX0	SIEMENS	SIMATIC PANEL OP170B BLUE MODE STN DISPLAY MPI-/PROFIBUS-DP INTERFACE PRINTER INTERFACE SLOT FOR CF-CARD CONFIGURABLE WITH PROTOOL/LITE FROM VERSION V5.2 SP2	0	+ 10
6AV6542-0CA10-0AX0	SIEMENS	SIMATIC OP270 6" OPERATOR PANEL 5.7" STN COLOR DISPLAY 2 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0	2	+ 10
6AV6542-0CA10-0AX1	SIEMENS	SIMATIC OP270 6" OPERATOR PANEL 5.7" STN COLOR DISPLAY 2 MB CONFIGURING MEMORY, CONFIGURABLE W. PROTOOL FROM VERS. V6.0	3	+ 10
6AV6542-0CC10-0AX0	SIEMENS	SIMATIC OP270 10" OPERATOR PANEL 10.4" STN COLOR DISPLAY 2 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0	0	+ 10
6AV6542-0DA10-0AX0	SIEMENS	SIMATIC MULTIPANEL MP370 12" COLOR TFT DISPLAY, KEYS WINDOWS CE 3.0 CONFIGURABLE WITH PROTOOL FROM VERSION V5.2 SP3	0	+ 10
6AV6545-0AA15-2AX0	SIEMENS	SIMATIC TOUCH PANEL TP070 5.7" STN DISPLAY RESISTIVE ANALOG TOUCH	0	+ 10
6AV6545-0AG10-0AX0	SIEMENS	SIMATIC MP270B TOUCH MULTI PANEL 10.4" TFT DISPLAY 4 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0	0	+ 10
6AV6545-0AH10-0AX1	SIEMENS	SIMATIC MP270B 6" TOUCH MULTI PANEL 5.7" TFT DISPLAY 4 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE STANDARD V1.0 OR HIGHER	1	1
6AV6545-0BA15-2AX0	SIEMENS	SIMATIC TOUCH PANEL TP170A BLUE MODE STN-DISPLAY MPI-/PROFIBUS-DP INTERFACE CONFIGURABLE W. PROTOOL/LITE FROM VERSION V5.2	0	+ 10
6AV6545-0BB15-2AX0	SIEMENS	SIMATIC TOUCH PANEL TP170B MONO BLUE MODE STN DISPLAY MPI-/PROFIBUS-DP INTERFACE PRINTER/RS232 INTERFACE SLOT FOR CF-CARD CONFIGURABLE WITH PROTOOL/LITE FROM VERSION V5.2 SP2	0	+ 10
6AV6545-0BC15-2AX0	SIEMENS	SIMATIC TOUCHPANEL TP170B COLOR STN COLOR DISPLAY MPI-/PROFIBUS-DP INTERFACE PRINTER/RS232 INTERFACE SLOT FOR CF-CARD CONFIGURABLE WITH PROTOOL/LITE FROM VERSION V5.2 SP2	0	+ 10
6AV6545-0CA10-0AX0	SIEMENS	SIMATIC TP270 6" TOUCH PANEL 5.7" STN COLOR DISPLAY 2 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0	0	+ 10
6AV6545-0CC10-0AX0	SIEMENS	SIMATIC TP270 10" TOUCH PANEL 10.4" STN COLOR DISPLAY 2 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0	0	+ 10
6AV6545-0DA10-0AX0	SIEMENS	SIMATIC MULTIPANEL MP370 12" COLOR TFT DISPLAY, TOUCH WINDOWS CE 3.0 CONFIGURABLE WITH PROTOOL FROM VERSION V5.2 SP3	0	+ 10
6AV6545-0DB10-0AX0	SIEMENS	SIMATIC MULTIPANEL MP370 15" COLOR TFT DISPLAY, TOUCH WINDOWS CE 3.0 CONFIGURABLE W. PROTOOL VERSION V6.0 SP2 AND HIGHER	0	+ 10
6AV6545-4BA16-0CX0	SIEMENS	SIMATIC MOBILE PANEL 170 WITH INTEGRATED ENABLING BUTTON CONFIGURABLE W. PROTOOL/LITE VERSION V6.0 SP2 AND HIGHER	+ 10	+ 10
6AV6545-4BB16-0CX0	SIEMENS	SIMATIC MOBILE PANEL 170 WITH INTEGRATED ENABLING BUTTON AND EMERGENCY-OFF BUTTON CONFIGURABLE W. PROTOOL/LITE VERSION V6.0 SP2 AND HIGHER	+ 10	+ 10
6AV6545-4BC16-0CX0	SIEMENS	SIMATIC MOBILE PANEL 170 WITH INTEGRATED ENABLING BUTTON EMERGENCY-OFF BUTTON HANDWHEEL, KEY SWITCH AND ILLUMINATED PUSHBUTTON UNIT CONFIGURABLE W. PROTOOL/LITE VERSION V6.0 SP2 AND HIGHER	0	+ 10
6AV6545-5BC00-0BQ0	SIEMENS	TOUCH PANEL TP170A 6AV6545-0BA15-2AX0 CUSTOMER-SPEC. DESIGN VERSION C CUSTOMER-SPECIFIC V. F. ERLA CO,	0	1



6AV6545-6CA00-0BW0	SIEMENS	OEM MP270-6" W. TFT DISPLAY AND AND INTEGR. ETHERNET, STANDARD DESIGN, W/O PCMCIA SLOT, W/O PROTOOL RUNTIME SW, W/O UL CERTIFICATION	2	+ 10
6AV6545-8DB10-0AA0	SIEMENS	SIMATIC MULTIPANEL MP370 15" COLOR-TFT-DISPLAY, TOUCH STAINLESS STEEL FRONTPANEL, DISPLAY COVERED BY MEMBRANE PROTECTION CLASS FRONT IP66 WINDOWS CE 3.0 PROJECTABLE WITH PROTOOL FROM VERSION V6.0 SP2	0	5
6AV6574-1AE04-4AA0	SIEMENS	CONNECTING BOX BASIC FOR MOBILE PANEL 170	0	5
6AV6574-2AC00-2AA0	SIEMENS	CF CARD 128 MB	1	9
6AV6574-2AC00-2AA1	SIEMENS	SIMATIC HMI CF MEMORY CARD, 512 MB, FOR FOR HMI DEVICES AND IPCS WITH CORRESPONDING SLOT FURTHER INFORMATION, QUANTITY AND CONTENT: SEE TECHNICAL DATA	0	1
6AV6574-2AF00-8AX0	SIEMENS	PC CARD ADAPTER FOR CF MEMORY CARD FOR SIMATIC HMI PANEL WITH PC CARD SLOT FURTHER INFORMATION, QUANTITY AND CONTENT: SEE TECHNICAL DATA	0	1
6AV6580-3BX05-2CX0	SIEMENS	CONFIGURING SOFTWARE PROTOOL/LITE V5.2+SP3 WITH NATIVE DRIVERS IN SEVERAL LANGUAGES	+ 10	0
6AV6584-1AD06-0DX0	SIEMENS	RUNTIME SOFTWARE PROTOOL/PRO RUNTIME V6.0 SP3 ON CD PLUS RUNTIME LICENSE FOR 512 POWER TAGS, (LICENSE APPLIC. FOR RT V5.X AND V6.X), FOR WIN98 SE/ME/NT4.0 SP6A /2000 /XP, SINGLE LICENSE	5	0
6AV6610-0AA01-2CA8	SIEMENS	WINCC FLEXIBLE 2007 MICRO ENGINEERING SW, SINGLE LICENSE SW AND DOCUMENTATION ON DVD IN GER/EN/IT/FR/SP, EXEC. UNDER WIN2000/XPPROF/XP HOME, FOR CONFIGURATION OF SIMATIC MICRO PANELS	1	0
6AV6611-0AA01-0AA0	SIEMENS	WINCC FLEXIBLE COMPACT V1.0 ENGINEERING SW, SINGLE LICENSE LICENSE KEY ON FD SW AND DOCUMENTATION ON CD SW IN GER/EN/IT/FR/SP DOCUMENTATION IN GER/EN EXEC. UNDER WIN2000/XPPROF FOR CONFIGURATION OF SIMATIC MICRO PANELS, SIMATIC MOBILE PANEL, SIMATIC	0	1
6AV6611-0AA01-1CA5	SIEMENS	WINCC FLEXIBLE 2005 COMPACT ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON FD SW AND DOCUMENTATION ON CD IN GER/EN/IT/FR/SP, EXEC. UNDER WIN2000/XPPROF FOR CONFIGURATION OF SIMATIC PANELS UPTO SERIES 170	5	2
6AV6611-0AA51-2CA5	SIEMENS	WINCC FLEXIBLE 2007 COMPACT ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON USB STICK, SW AND DOCUMENTATION ON DVD IN GER/EN/IT/FR/SP/CHS/CHT/KOR/JPN EXEC. UNDER WIN2000/XPPROF, FOR CONFIGURATION OF SIMATIC PANELS	3	1
6AV6611-0AA51-3CA5	SIEMENS	WINCC FLEXIBLE 2008 COMPACT ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON USB STICK, SW AND DOCUMENTATION ON DVD IN GER/EN/IT/FR/SP/CHS/CHT/KOR/JPN EXEC. UNDER XPPROF/ WINDOWS7 PROFESSIONAL/ULTIMATE/ ENTERPRISE (32/64 BIT), FOR CONFIGURATION OF SIMA	6	0
6AV6612-0AA51-2CE5	SIEMENS	WINCC FLEXIBLE 2007 STANDARD, UPGRADE FROM WINCC FLEXIBLE 2004 OR 2005 STANDARD AUF WINCC FLEXIBLE 2007 STANDARD, INCL. CHANGE CONTROL, ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON USB-STICK, SW AND DOCUMENTATION ON DVD, GE/EN/IT/FR/SP/CHS/CHT/KOR/	1	0
6AV6613-0AA01-0AA0	SIEMENS	WINCC FLEXIBLE ADVANCED V1.0 ENGINEERING SW, SINGLE LICENSE SW AND DOCUMENTATION ON CD LICENSE KEY ON FD SW IN GER/EN/IT/FR/SP DOCUMENTATION IN GER/EN EXEC. UNDER WIN2000/XPPROF FOR CONFIGURATION OF SIMATIC MICRO PANELS, SIMATIC 70/170 SERIES INCL. C	1	0
6AV6613-0AA51-2CE5	SIEMENS	WINCC FLEXIBLE 2007 ADVANCED, UPGRADE FROM WINCC FLEXIBLE 2004 OR 2005 ADVANCED AUF WINCC FLEXIBLE 2007 ADVANCED, INCL. CHANGE CONTROL, ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON USB-STICK, SW AND DOCUMENTATION ON DVD, GE/EN/IT/FR/SP/CHS/CHT/KOR/	1	1

6AV6613-1BA01-0AA0	SIEMENS	WINCC FLEXIBLE RUNTIME V1.0 128 POWER TAGS RUNTIME SW, SINGLE LICENSE SW AND DOCUMENTATION ON CD LICENSE KEY ON FD EXEC. UNDER WIN2000/XPPROF	1	0
6AV6613-1BA51-3CA0	SIEMENS	WINCC FLEXIBLE 2008 RUNTIME 128 POWER TAGS RUNTIME SW, SINGLE LICENSE SW AND DOCUMENTATION ON CD LICENSE KEY ON USB STICK EXEC. UNDER XPPROF/ WINDOWS7 PROFESSIONAL/ULTIMATE/ ENTERPRISE (32/64 BIT),	1	0
6AV6613-1DA01-1CA0	SIEMENS	WINCC FLEXIBLE 2005 RUNTIME 512 POWER TAGS RUNTIME SW, SINGLE LICENSE SW AND DOCUMENTATION ON CD LICENSE KEY ON FD EXEC. UNDER WIN2000/XPPROF	1	0
6AV6613-1DA51-2CA0	SIEMENS	WINCC FLEXIBLE 2007 RUNTIME 512 POWER TAGS RUNTIME SW, SINGLE LICENSE SW AND DOCUMENTATION ON CD LICENSE KEY ON USB STICK EXEC. UNDER WIN2000/XPPROF	4	0
6AV6613-1DA51-3CA0	SIEMENS	WINCC FLEXIBLE 2008 RUNTIME 512 POWER TAGS RUNTIME SW, SINGLE LICENSE SW AND DOCUMENTATION ON CD LICENSE KEY ON USB STICK EXEC. UNDER XPPROF/ WINDOWS7 PROFESSIONAL/ULTIMATE/ ENTERPRISE (32/64 BIT),	1	0
6AV6613-1GA51-3CA0	SIEMENS	WINCC FLEXIBLE 2008 RUNTIME 4096 POWER TAGS RUNTIME SW, SINGLE LICENSE SW AND DOCUMENTATION ON CD LICENSE KEY ON USB STICK EXEC. UNDER XPPROF/ WINDOWS 7 BUSINESS/ULTIMATE/ ENTERPRISE (32 BIT)	0	1
6AV6613-1XA51-2CE0	SIEMENS	WINCC FLEXIBLE 2007 RUNTIME, UPGRADE FROM WINCC FLEXIBLE 2004 OR 2005 RUNTIME TO WINCC FLEXIBLE 2007 RUNTIME, INCL. SM@RTACCESS/SM@RTSERVICE/ OPC-SERVER/ARCHIVES/RECIPES/ PROAGENT/AUDIT FOR WINCC FLEXIBLE RUNTIME, RUNTIME SW, SINGLE LICENSE SW AND D	1	0
6AV6613-1XA51-3CE0	SIEMENS	WINCC FLEXIBLE 2008 RUNTIME, UPGRADE FOR WINCC FLEXIBLE 2004/2005/2007 RUNTIME, INCL. SM@RTACCESS/SM@RTSERVICE/ OPC- SERVER/ARCHIVES/RECIPES/ PROAGENT/AUDIT FOR WINCC FLEXIBLE RUNTIME, RUNTIME SW, SINGLE LICENSE SW AND DOCUMENTATION ON CD LICENSE KEY	1	0
6AV6613-1XA51-3CU8	SIEMENS	WINCC FLEXIBLE 2008 RUNTIME UPDATE 2008, 2008 SP1/SP2 --> 2008 SP3, DATA MEDIUM WITHOUT LICENSE, UTILIZATION ONLY WITH VALID LICENSE, EXECUTABLE UNDER WINXP PROF/ WINDOWS7 PROFESSIONAL/ULTIMATE/ ENTERPRISE (32 BIT, 64 BIT)	2	0
6AV6613-2CD01-1AD5	SIEMENS	WINCC FLEXIBLE 2005 ADVANCED POWERPACK FOR WINCC FLEXIBLE 2005 STANDARD ENGINEERING SW, FLOATING LICENSE, LICENSE KEY ON FD	1	0
6AV6613-4DF01-3AD0	SIEMENS	WINCC FLEXIBLE 2008 RUNTIME POWERPACK 512 > 2048 POWER TAGS RUNTIME SW, SINGLE LICENSE, LICENSE KEY ON USB STICK	1	0
6AV6613-4FG01-3AD0	SIEMENS	WINCC FLEXIBLE 2008 RUNTIME POWERPACK 2048 >4096 POWER TAGS RUNTIME SW, SINGLE LICENSE, LICENSE KEY ON USB STICK	1	0
6AV6613-6AA01-2AB5	SIEMENS	WINCC FLEXIBLE /CHANGE CONTROL 2007, FOR WINCC FLEXIBLE COMPACT, STANDARD, ADVANCED, ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON USB STICK	1	0
6AV6618-7DB01-1AB0	SIEMENS	WINCC FLEXIBLE /PROAGENT FUER SIMATIC , PANEL, RUNTIME-SW, SINGLE LICENSE, LIZENZSCHLUESSEL AUF FD, ZUR NUTZUNG , MIT SIMATIC PANEL SERIEN 270/370 (AB VERSION 2005)	1	0
6AV6618-7DD01-1AB0	SIEMENS	WINCC FLEXIBLE /PROAGENT FUER WINCC FLEXIBLE RUNTIME, RUNTIME-SW, SINGLE LICENSE, LIZENZSCHLUESSEL AUF FD (AB VERSION 2005)	1	0
6AV6618-7GD01-1AB0	SIEMENS	WINCC FLEXIBLE/ARCHIVES+RECIPES FOR WINCC FLEXIBLE RUNTIME, RUNTIME SW, SINGLE LICENSE, LICENSE KEY ON FD (FOR VERSION 2005)	1	0

6AV6618-7XX01-3AF0	SIEMENS	WINCC FLEXIBLE 2008 PANEL OPTIONS, UPGRADE FOR 2004/2005/2007 PANEL OPTIONS, INCLUDING SM@RTACCESS/ SM@RTSERVICE/PROAGENT/AUDIT FOR SIMATIC PANELS AND OPC-SERVER FOR SIMATIC MULTI PANELS, RUNTIME SW, SINGLE LICENSE LICENSE KEY ON USB STICK	2	0
6AV6640-0AA00-0AX1	SIEMENS	TD400C TEXTDISPLAY, 4 LINES FOR SIMATIC S7-200 WITH CABLE (2,5M) AND MOUNTING ACCESSORIES WITH CUSTOMIZED FACEPLATE, CONFIGURATION WITH STEP7-MICRO/WIN V4 SP6	0	6
6AV6640-0BA11-0AX0	SIEMENS	SIMATIC OPERATOR PANEL OP 73MICRO FOR SIMATIC S7-200 3" LC DISPLAY, BACKLIT WITH GRAPHICS CAPABILITY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD	+ 10	5
6AV6640-0CA01-0AX0	SIEMENS	SIMATIC TOUCH PANEL TP170 MICRO FOR SIMATIC S7-200 5.7" BLUE MODE STN DISPLAY CONFIGURABLE WITH WINCC FLEXIBLE MICRO V1.0	0	+ 10
6AV6640-0CA11-0AX0	SIEMENS	SIMATIC TOUCH PANEL TP 177MICRO FOR SIMATIC S7-200 5.7" BLUE MODE STN DISPLAY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS	0	8
6AV6640-0CA11-0AX1	SIEMENS	SIMATIC TOUCH PANEL TP 177MICRO FOR SIMATIC S7-200 5.7" BLUE MODE STN DISPLAY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD	0	8
6AV6640-5CA00-0JA1	SIEMENS	TP 177MICRO WITH CUSTOMER-SPECIFIC DESIGN ONLY FOR CUSTOM POWER BASIC: 6AV6640-0CA11-0AX0	0	1
6AV6641-0AA11-0AX0	SIEMENS	SIMATIC OPERATOR PANEL OP 73 3" LC DISPLAY, BACKLIT, WITH GRAPHICS CAPABILITY, MPI-/PROFIBUS-DP INTERFACE, UP TO 1.5MB, CONFIGURABLE WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE E	0	+ 10
6AV6641-0BA11-0AX0	SIEMENS	SIMATIC OPERATOR PANEL OP77A BACKLIT LC DISPLAY, 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UP TO 1,5MB, FOR CONFIGURATION WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS	1	+ 10
6AV6641-0BA11-0AX1	SIEMENS	SIMATIC OPERATOR PANEL OP77A BACKLIT LC DISPLAY, 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UP TO 1,5MB, FOR CONFIGURATION WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS	0	+ 10
6AV6641-0CA01-0AX0	SIEMENS	SIMATIC OPERATOR PANEL OP77B BACKLIT LC DISPLAY 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UPTO 12 MB PRINTER/USB INTERFACE SLOT FOR MMC CARD FOR CONFIGURATION OF WINCC FLEXIBLE COMPACT V1.0	0	+ 10
6AV6641-0CA01-0AX1	SIEMENS	SIMATIC OPERATOR PANEL OP77B BACKLIT LC DISPLAY, 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UPTO 12 MB, PRINTER/USB INTERFACE, SLOT FOR MMC CARD, FOR CONFIGURATION OF WINCC FLEXIBLE 2004 COMPACT	+ 10	+ 10
6AV6642-0AA11-0AX0	SIEMENS	SIMATIC TOUCH PANEL TP 177A 5,7" BLUE MODE STN-DISPLAY, MPI/PROFIBUS-DP INTERFACE, CONFIGURABLE WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD	0	+ 10
6AV6642-0AA11-0AX1	SIEMENS	SIMATIC TOUCH PANEL TP 177A 5,7" BLUE MODE STN-DISPLAY, MPI/PROFIBUS-DP INTERFACE, CONFIGURABLE WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD	0	+ 10
6AV6642-0BA01-1AX0	SIEMENS	SIMATIC TOUCHPANEL TP177B PN/DP STN 265 COLOR-DISPLAY MPI-/PROFIBUS-DP - PROTOCOL RS485-/RS422-/USB - INTERFACE ETHERNET10/100 INTERFACE PRINTER - INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	+ 10

6AV6642-0BA01-1AX1	SIEMENS	SIMATIC TOUCHPANEL TP177B PN/DP STN 265 COLOR-DISPLAY MPI-/PROFIBUS-DP - PROTOCOL RS485-/RS422-/USB - INTERFACE ETHERNET10/100 INTERFACE PRINTER - INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	+ 10
6AV6642-0BC01-1AX0	SIEMENS	SIMATIC TOUCH PANEL TP177B DP BLUE MODE STN-DISPLAY MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB INTERFACE PRINTER - INTERFACE SLOT FOR MMCARD CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	+ 10
6AV6642-0BC01-1AX1	SIEMENS	SIMATIC TP177B 6" DP BLUE MODE STN-DISPLAY MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB INTERFACE PRINTER - INTERFACE SLOT FOR MMCARD CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	+ 10
6AV6642-0BD01-3AX0	SIEMENS	SIMATIC TP177B 4" COLOR PN/DP TFT 256 COLOR-16:9-DISPLAY, MPI-/PROFIBUS-DP - PROTOCOL RS485-/RS422-/USB - INTERFACE ETHERNET10/100 INTERFACE PRINTER - INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2008	0	+ 10
6AV6642-0DA01-1AX0	SIEMENS	SIMATIC PANEL OP177B PN/DP STN 256 COLOR DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE ETHERNET - INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	+ 10
6AV6642-0DA01-1AX1	SIEMENS	SIMATIC PANEL OP177B PN/DP STN 256 COLOR DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE ETHERNET - INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	+ 10
6AV6642-0DC01-1AX0	SIEMENS	SIMATIC PANEL OP177B DP BLUE MODE STN DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	+ 10
6AV6642-0DC01-1AX1	SIEMENS	SIMATIC PANEL OP177B DP BLUE MODE STN DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	+ 10
6AV6642-0EA01-3AX0	SIEMENS	SIMATIC MP 177 6" TOUCH MULTI PANEL W. RETENTIVE MEMORY 5.7" TFT DISPLAY 2 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2008 COMPACT OR HIGHER	0	+ 10
6AV6642-5BD10-0HT0	SIEMENS	SIMATIC TP177B 4" COLOR PN/DP WITH CUSTOMIZED DESIGN RAL9007 BASED ON: 6AV6642-0BD01-3AX0	0	1
6AV6642-5DC10-1AC0	SIEMENS	SIMATIC PANEL OP177B DP BLUE MODE STN DISPLAY WITH CUSTOMIZED DESIGN FOR CUSTOMER GEA WSE 0005-4050-810	0	1
6AV6642-5DC13-1AC0	SIEMENS	SIMATIC PANEL OP177B DP BLUE MODE STN DISPLAY WITH CUSTOMIZED DESIGN FOR CUSTOMER GEA WSE COADED 0005-4050-818	2	0
6AV6642-5EA10-0PM0	SIEMENS	SIMATIC MP 177 6" TOUCH MULTI PANEL W. RETENTIVE MEMORY 5,7" TFT DISPLAY BASED ON: 6AV6642-0EA01-3AX0 WITH CUSTOMIZED DESIGN ONLY FOR COMPANY ABG	0	1
6AV6642-7EA10-0GG0	SIEMENS	MP 177 6" TOUCH OEM MULTI PANEL W. RETENTIVE MEMORY 5,7" TFT DISPLAY 2 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2008 STANDARD OR HIGHER ARCHIVING AND SCRIPTING	0	1
6AV6642-8BA10-0AA0	SIEMENS	SIMATIC TOUCHPANEL TP177B PN/DP STAINLESS STEEL FRONT, DISPLAY COVERED BY MEMBRANE, PROTECTION CLASS FRONT IP66K, STN 265 COLOR-DISPLAY, MPI-/PROFIBUS-DP - PROTOCOL, RS485-/RS422-/USB - INTERFACE, ETHERNET 10/100 INTERFACE, PRINTER-INTERFACE, SLOT F	0	+ 10
6AV6643-0AA01-1AX0	SIEMENS	SIMATIC TP 277 6" TOUCH PANEL 5.7" TFT DISPLAY 4 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD OR HIGHER	4	+ 10
6AV6643-0BA01-1AX0	SIEMENS	SIMATIC OP 277 6" OPERATOR PANEL 5.7" TFT DISPLAY 4 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1 OR HIGHER	0	+ 10

6AV6643-0CB01-1AX0	SIEMENS	SIMATIC MP 277 8" TOUCH TFT MULTI PANEL 7,5" TFT DISPLAY 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1 OR HIGHER	0	+ 10
6AV6643-0CB01-1AX1	SIEMENS	SIMATIC MP 277 8" TOUCH MULTI PANEL W. RETENTIVE MEMORY 7.5" TFT DISPLAY 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1	3	6
6AV6643-0CB01-1AX2	SIEMENS	SIMATIC MP 277 8" TOUCH MULTI PANEL W. RETENTIVE MEMORY 7,5" TFT DISPLAY 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2008 STANDARD SP3 UPDATE 5 WINCC COMFORT V13 HSP	3	1
6AV6643-0CB01-1AX5	SIEMENS	SIMATIC MP 277 8" TOUCH MULTI PANEL W. SMALL FRAME 7.5" TFT DISPLAY 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1	1	1
6AV6643-0CD01-1AX0	SIEMENS	SIMATIC MP 277 10" TOUCH MULTI PANEL 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIG: WINCC FLEXIBLE 2005 STANDARD SP1	0	+ 10
6AV6643-0CD01-1AX1	SIEMENS	SIMATIC MP 277 10" TOUCH MULTI PANEL W. RETENTIVE MEMORY 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIG: WINCC FLEXIBLE 2005 STANDARD SP1	0	+ 10
6AV6643-0CD01-1AX2	SIEMENS	SIMATIC MP 277 10" TOUCH MULTI PANEL W. RETENTIVE MEMORY 10,4" TFT DISPLAY 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2008 STANDARD SP3 UPDATE 5 WINCC COMFORT V13 HSP	0	2
6AV6643-0CD01-1AX5	SIEMENS	SIMATIC MP 277 10" TOUCH MULTI PANEL W. SMALL FRAME 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1	0	+ 10
6AV6643-0DB01-1AX0	SIEMENS	SIMATIC MP 277 8" KEY MULTIPANEL, 7,5" TFT DISPLAY, 6 MB USER MEMORY, CONFIG. WITH WINCC FLEXIBLE 2005 STANDARD SP1	0	3
6AV6643-0DB01-1AX1	SIEMENS	SIMATIC MP 277 8" KEY MULTIPANEL, W. RETENTIVE MEMORY 7,5" TFT DISPLAY, 6 MB USER MEMORY, CONFIG. WITH WINCC FLEXIBLE 2005 STANDARD SP1	2	+ 10
6AV6643-0DB01-1AX2	SIEMENS	SIMATIC MP 277 8" KEY MULTIPANEL, W. RETENTIVE MEMORY 7,5" TFT DISPLAY, 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2008 STANDARD SP3 UPDATE 5 WINCC COMFORT V13 HSP	9	0
6AV6643-0DB01-1AX5	SIEMENS	SIMATIC MP 277 8" KEY MULTIPANEL, W. SMALL FRAME 7,5" TFT DISPLAY, 6 MB USER MEMORY, CONFIG. WITH WINCC FLEXIBLE 2005 STANDARD SP1	1	0
6AV6643-0DD01-1AX0	SIEMENS	SIMATIC MP 277 10" KEY MULTIPANEL 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIG. WINCC FLEXIBLE 2005 STANDARD SP1	0	2
6AV6643-0DD01-1AX1	SIEMENS	SIMATIC MP 277 10" KEY MULTIPANEL W. RETENTIVE MEMORY 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIG. WINCC FLEXIBLE 2005 STANDARD SP1	1	+ 10
6AV6643-0DD01-1AX2	SIEMENS	SIMATIC MP 277 10" KEY MULTIPANEL, W. RETENTIVE MEMORY 10,4" TFT DISPLAY, 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2008 STANDARD SP3 UPDATE 5 WINCC COMFORT V13 HSP	3	0
6AV6643-0ED01-2AX0	SIEMENS	SIMATIC MP 277 10" TOUCH STAINLESS STEEL FRONT, RETENTIV DISPLAY COVERED BY MEMBRANE, PROT. CL. FRONT IP66K, EX 2/22 10.4" TFT DISPLAY, CONFIGURABLE WITH WINCC FLEXIBLE	0	6
6AV6643-5CB10-0FW0	SIEMENS	SIMATIC MP 277 8" TOUCH MULTI PANEL W. RETENTIVE MEMORY 7,5" TFT DISPLAY 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1 OR HIGHER WITH CUSTOMIZED DESIGN MODIFICATION "FLOTTWEG"	0	1
6AV6643-5CD10-0EJ0	SIEMENS	SIMATIC MP 277 10" TOUCH BASED ON: 6AV6643-0CD01-1AX1 WITH CUSTOMIZED DESIGN ONLY FOR CUSTOMER JCI	4	1
6AV6643-5MA10-0ND0	SIEMENS	OEM MP 277 6" TOUCH PORTRAIT 5,7 " DISPLAY MONOCHROM WITH 4 BLUE COLOR LEVELS INTERFACES AND ELECTRONIC AS 6AV6643-0CB01-1AX0 WITH CUSTOMIZED DESIGN FOR MOSCA CONFIGURABLE WITH WINCC FLEXIBLE 2007	0	10

6AV6643-5MA10-0ND1	SIEMENS	OEM MP 277 6" TOUCH PORTRAIT FOR MOSCA W/O LOGO 5,7" DISPLAY MONOCHROM WITH 4 BLUE COLOR LEVELS INTERFACES AND ELECTRONIC AS 6AV6643-0CB01-1AX0 WITH CUSTOMIZED MOSCA DESIGN CONFIGURABLE WITH WINCC FLEXIBLE 2007	0	8
6AV6643-5MA10-0ND2	SIEMENS	OEM MP 277 TOUCH DESIGN 5,7" LANDSCAPE MONOCHROME 4 BLUE COLOR LEVELS INTERFACES AND ELECTRONIC LIKE 6AV6643-0CB01-1AX0 WITH CUSTOMIZED DESIGN MOSCA CONFIGURE WITH WINCC FLEXIBLE 2007	0	4
6AV6643-7CY10-3AU0	SIEMENS	ECC PANEL BASED ON MP277 WINCE5.0 PLATFORM 8,4"-VGA-COLOR-TFT-DISPLAY, TOUCH, W/O JOYSTICK ETHERNET, USB, DIE-CAST ALUMINIUM HOUSING WITH CONNECTING CABLE	0	5
6AV6643-8AD10-0AA0	SIEMENS	SIMATIC TOUCHPANEL MP 277 10" STAINLESS STEEL FRONT, DISPLAY COVERED BY MEMBRANE, PROTECTION CLASS FRONT IP66K, 10.4" TFT DISPLAY, CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	1
6AV6643-8AD10-0AA1	SIEMENS	SIMATIC MP 277 10" TOUCH STAINLESS STEEL FRONT, RETENTIV DISPLAY COVERED BY MEMBRANE, PROTECTION CLASS FRONT IP66K, 10.4" TFT DISPLAY, CONFIGURABLE WITH WINCC FLEXIBLE 2005	0	1
6AV6644-0AA01-2AX0	SIEMENS	SIMATIC MP 377 12" TOUCH MULTIPANEL, WINDOWS CE 5.0 12" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007	1	+ 10
6AV6644-0AB01-2AX0	SIEMENS	SIMATIC MP 377 15" TOUCH MULTIPANEL, WINDOWS CE 5.0 15" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007	2	+ 10
6AV6644-0AC01-2AX0	SIEMENS	SIMATIC MP 377 19" TOUCH MULTIPANEL, WINDOWS CE 5.0 19" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007	0	+ 10
6AV6644-0AC01-2AX1	SIEMENS	SIMATIC MP 377 19" TOUCH MULTIPANEL, WINDOWS CE 5.0 19" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007	0	9
6AV6644-0BA01-2AX1	SIEMENS	SIMATIC MP 377 12" KEY MULTIPANEL, WINDOWS CE 5.0 12" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007 NEW KEY ALUMINIUM FRONT WITH UNIFORM CLAMPS	1	4
6AV6644-2AB01-2AX0	SIEMENS	SIMATIC MP 377 PRO 15" TOUCH MULTIPANEL, WINDOWS CE 5.0 15" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007	1	+ 10
6AV6644-5AA10-0GR0	SIEMENS	SIMATIC MP 377 12" TOUCH WITH CUSTOMIZED DESIGN FOR CUSTOMER GRONINGER ONLY BASED ON: 6AV6644-0AA01-2AX0	0	1
6AV6644-5AA10-0GR1	SIEMENS	SIMATIC MP 377 12" TOUCH WITH CUSTOMIZED MODIFICATION FOR CUSTOMER GRONINGER ONLY BASED ON: 6AV6644-0AA01-2AX0	2	0
6AV6644-5AA13-0DN0	SIEMENS	SIMATIC MP377 12" TOUCH MIT CUSTOMIZED DESIGN FOR CUSTOMER HUENI ONLY INCLUSIVE TEMPERING BASED ON: 6AV6644-0AA01-2AX0	0	2
6AV6644-8AB20-0AA0	SIEMENS	SIMATIC MP 377 15" TOUCH MULTIPANEL, WINDOWS CE 5.0, 15" FARB - TFT - , DISPLAY, HIGH BRIGHTNESS, 12 MB USER MEMORY, CONFIGURABLE FROM WINCC , FLEXIBLE 2008	0	1
6AV6644-8AB20-0AA1	SIEMENS	SIMATIC MP 377 15" TOUCH MULTIPANEL, WINDOWS CE 5.0, 15" FARB - TFT - DISPLAY, HIGH BRIGHTNESS, 12 MB USER MEMORY, CONFIGURABLE FROM WINCC FLEXIBLE 2008 SP1	0	+ 10
6AV6645-0AA01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 177 DP W. INTEGRATED ENABLING BUTTON, CONFIGURABLE WITH WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	+ 10
6AV6645-0AB01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 177 DP WITH INTEGRATED ENABLING BUTTON AND STOP BUTTON, CONFIGURABLE WITH WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	+ 10
6AV6645-0AC01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 177 DP W. INTEGRATED ENABLING BUTTON, STOP BUTTON, HANDWHEEL, KEY SWITCH AND ILLUMINATED PUSHBUTTON UNIT, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	+ 10

6AV6645-0BA01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 177 PN W. INTEGRATED ENABLING BUTTON, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	+ 10
6AV6645-0BB01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 177 PN WITH INTEGRATED ENABLING BUTTON AND STOP BUTTON, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	2
6AV6645-0BC01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 177 PN W. INTEGRATED ENABLING BUTTON, STOP BUTTON, HANDWHEEL, KEY SWITCH AND ILLUMINATED PUSHBUTTON UNIT, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	3
6AV6645-0BE02-0AX0	SIEMENS	SIMATIC MOBILE PANEL 277 10" WITH INTEGRATED ACKNOWLEDGMENT BUTTON, STOP BUTTON AND TOUCH, CONFIGURABLE WITH WINCC FLEXIBLE STANDARD VERSION 2008 OR HIGHER OR TIA PORTAL V11 TO V14	0	7
6AV6645-0CA01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 277 W. INTEGRATED ENABLING BUTTON, CONFIGURABLE WITH WINCC FLEXIBLE STANDARD VERSION 2005 SP1 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	1
6AV6645-0CB01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 277 WITH INTEGRATED ENABLING BUTTON AND STOP BUTTON, CONFIGURABLE WITH WINCC FLEXIBLE STANDARD VERSION 2005 SP1 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	6
6AV6645-0CC01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 277 W. INTEGRATED ENABLING BUTTON, STOP BUTTON, HANDWHEEL, KEY SWITCH AND TWO ILLUMINATED PUSHBUTTON, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2005 SP1 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	+ 10
6AV6645-0DB01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 277F IWLAN WITH INTEGRATED ENABLING BUTTON AND EMERGENCY-STOP BUTTON, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2007 AND HIGHER. 1 MAIN BATTERY AND BACKUP BATTERY POWER SUPPLY TO BE ORDERED SEPARATELY: 6AV6671-5CE00-0A	0	1
6AV6645-0DC01-0AX0	SIEMENS	SIMATIC MOBILE PANEL 277F IWLAN WITH INTEGRATED ENABLING BUTTON EMERGENCY-STOP BUTTON, HANDWHEEL, KEY SWITCH AND TWO ILLUMINATED PUSHBUTTON, CONFIGURABLE WITH WINCC FLEXIBLE STANDARD VERSION 2007 AND HIGHER 1 MAIN BATTERY POWER SUPPLY TO BE ORDERED	0	1
6AV6645-0DD01-0AX1	SIEMENS	SIMATIC MOBILE PANEL 277 IWLAN V2, CONFIGURABLE W. WINCC FLEXI STANDARD VERSION 2008 AND HIGHER OR TIA PORTAL V11 SP2 AND HIGHER. 1 MAIN BATTERY POWER SUPPLY TO BE ORDERED SEPARATELY: 6AV6671-5CE00-0AX1 CHARGING ST. 6AV6671-5CN00-0AX2 EXTERNAL P	0	1
6AV6645-0EC01-0AX1	SIEMENS	SIMATIC MOBILE PANEL 277F IWLAN V2, WITH INTEGRATED ACKNOWLEDGMENT BUTTON, EMERGENCY STOP BUTTON, HANDWHEEL KEY-OPERATED SWITCH AND TWO ILLUMINATED PUSHBUTTONS, SUPPORTS IPCF (RAPID ROAMING) CONFIGURABLE WITH WINCC FLEXIBLE STANDARD VERSION 2008 SP 2	0	4
6AV6645-0EF01-0AX1	SIEMENS	SIMATIC SIMATIC MOBILE PANEL 277F IWLAN (RFID), WITH INTEGRATED ACKNOWLEDGMENT BUTTON, EMERGENCY STOP BUTTON, HANDWHEEL, KEY-OPERATED SWITCH AND TWO ILLUMINATED PUSHBUTTONS, SUPPORTS IPCF (RAPID ROAMING) CONFIGURABLE WITH WINCC FLEXIBLE STANDARD VERS	0	6
6AV6645-0FD01-0AX1	SIEMENS	SIMATIC MOBILE PANEL 277 IWLAN V2 (USA), CONF. W. WINCC FLEX STANDARD VERSION 2008 AND HIGHER OR TIA PORTAL V11 SP2 AND HIGHER. 1 MAIN BATTERY POWER SUPPLY TO BE ORDERED SEPARATELY: 6AV6671-5CE00-0AX1 CHARGING ST. 6AV6671-5CN00-0AX2 EXTERNAL POW	0	2
6AV6645-0FE01-0AX1	SIEMENS	SIMATIC MOBILE PANEL 277 IWLAN V2 (USA), WITH HANDWHEEL, KEY SWITCH AND TWO ILLUMINATED PUSHBUTTON, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2008 AND HIGHER OR TIA PORTAL V11 SP2 AND HIGHER. 1 MAIN BATTERY POWER SUPPLY TO BE ORDERED SEPAR	0	5

6AV6645-0GB01-0AX1	SIEMENS	SIMATIC MOBILE PANEL 277F IWLAN V2 (USA), WITH INTEGRATED ENABL AND EMERGENCY-STOP BUTTON, SUPPORTS IPCF (RAPID ROAMING) CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2008 AND HIGHER OR TIA PORTAL V11 SP2 AND HIGHE. 1 MAIN BATTERY POWER SUPPL	0	2
6AV6645-0GC01-0AX1	SIEMENS	SIMATIC MOBILE PANEL 277F IWLAN V2 (USA), WITH INTEGRATED ENABL EMERGENCY-STOP BUTTON, HANDWHEEL, KEY SWITCH AND TWO ILLUMINATED PUSHBUTTON, SUPPORTING IPCF (RAPID ROAMING) CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2008 AND HIGHER OR TIA PORTAL	0	+ 10
6AV6645-7AB10-0AS0	SIEMENS	OEM SIMATIC MOBILE PANEL 277 REMOTE OPERATE (RO) 10". WITH INTEGR. ENABLING BUTTON, EMERGENCY-STOP BUTTON, 2 STYLUS PEN FOR TOUCHOPERATION. SW REMOTE OPERATE CLIENT INSTALLED. SW REMOTE OPERATE SERVER ON CD IN SUBPACKAGE	0	3
6AV6645-7AB10-1AS0	SIEMENS	OEM SIMATIC MOBILE PANEL 277 REMOTE OPERATE (RO) 10". WITH INTEGR. ENABLING BUTTON, EMERGENCY-STOP BUTTON, 2 STYLUS PEN FOR TOUCHOPERATION. SW REMOTE OPERATE CLIENT INSTALLED. SW REMOTE OPERATE V3.1 SERVER ON CD IN SUBPACKAGE	1	0
6AV6645-7CF30-1WP1	SIEMENS	SIMATIC MOBILE CLIENT900SWP CUSTOMER SPECIFIC WEB CLIENT W/O HEATING A9B10072785	0	+ 10
6AV6645-7CG30-1WP1	SIEMENS	SIMATIC MOBILE CLIENT900SWP CUSTOMER SPECIFIC WEB CLIENT WITH HEATING	0	2
6AV6645-7CX02-1WP0	SIEMENS	SIMATIC MOBILE CLIENT900, SIMATIC MOBILE CLIENT900, COVER LID, CUSTOMER SPECIFIC, ACCESSORY, PROTECTS DISPLAY AND TOUCH	0	1
6AV6645-7DH00-2SH0	SIEMENS	SIMATIC MOBILE PANEL 277 10" W. INTEGRATED ENABLING BUTTON, STOP BUTTON AND TOUCH, ILLUM. PUSH BUTTONS, KEY SWITCH AND HAND WHEEL, CONFIGURABLE WITH WINCC FLEXIBLE STANDARD VERSION 2008 AND HIGHER OR TIA PORTAL V11 AND HIGHER	0	2
6AV6646-0AA21-2AX0	SIEMENS	SIMATIC THIN CLIENT (HARDWARE) 10" TOUCH, THIN CLIENT, 10" TFT DISPLAY, 64K COLORS, CLIENT: SMARTACCESS, RDP, WEB	0	6
6AV6646-0AB21-2AX0	SIEMENS	SIMATIC THIN CLIENT (HARDWARE) 15" TOUCH, THIN CLIENT, 15" TFT DISPLAY, 64K COLORS, CLIENT: SMARTACCESS, RDP, WEB	0	+ 10
6AV6646-1AB22-0AX0	SIEMENS	SIMATIC ITC1500, INDUSTRIAL THIN CLIENT, 15" WIDESCREEN-TFT-DISPLAY, TOUCH OPERATION, SUPPORTED PROTOCOLS: RDP, VNC, SMARTSERVER, WEB	0	1
6AV6646-1AC22-0AX0	SIEMENS	SIMATIC ITC1900, INDUSTRIAL THIN CLIENT, 19" WIDESCREEN-TFT-DISPLAY, TOUCH OPERATION, SUPPORTED PROTOCOLS: RDP, VNC, SMARTSERVER, WEB	0	1
6AV6646-1AD22-0AX0	SIEMENS	SIMATIC ITC2200, INDUSTRIAL THIN CLIENT, 22" WIDESCREEN-TFT-DISPLAY, TOUCH OPERATION, SUPPORTED PROTOCOLS: RDP, VNC, SMARTSERVER, WEB	1	9
6AV6646-2AB21-2AX0	SIEMENS	SIMATIC THIN CLIENT PROTECTED 15" TOUCH,IP65, EXTERNAL DEVICE 15" TFT DISPLAY, 64K COLORS, CLIENT: SMARTACCESS, RDP, WEB IP65 DEVICE FOR EXTERNAL MOUNTING, NO BUILT-IN UNIT	0	+ 10
6AV6646-7AB00-0BK0	SIEMENS	OEM SIMATIC THIN CLIENT 15" CUSTOM DOOR WITH 2 X 6 SEITL.TASTEN, 15." XGA 1024X768 DISPLAY, INTEGRATED MULTIPLE 4 USB HUB PORTS: 1 X ETHERNET RJ45, 4 X USB 1.1	0	1
6AV6646-7AC00-0BK0	SIEMENS	OEM SIMATIC THINCLIENT 12" CUSTOMER SPEC. PANEL, WITH 2 X 6 LATERAL KEYS, 12" DISPLAY XGA 1024X768, INTEGRATED PP17- II PN, INTERFACE: 1 X ETHERNET RJ45, 4 X USB 1.1	0	10
6AV6647-0AB11-3AX0	SIEMENS	SIMATIC HMI KTP600 BASIC MONO PN, BASIC PANEL, KEY AND TOUCH OPERATION, 6" STN DISPLAY, 4 GRAY SCALE, PROFINET INTERFACE, CONFIGURATION FROM WINCC FLEXIBLE 2008 SP2 COMPACT/ WINCC BASIC V10.5/ STEP7 BASIC V10.5, CONTAINS OPEN SOURCE SW WHICH IS PROVI	+ 10	+ 10



6AV6647-0AC11-3AX0	SIEMENS	SIMATIC HMI KTP600 BASIC COLOR DP, BASIC PANEL, KEY AND TOUCH OPERATION, 6" TFT DISPLAY, 256 COLORS, MPI/PROFIBUS DP INTERFACE, CONFIGURATION FROM WINCC FLEXIBLE 2008 SP2 COMPACT/ WINCC BASIC V11/ STEP7 BASIC V11, CONTAINS OPEN SOURCE SW WHICH IS PRO	2	+ 10
6AV6647-0AD11-3AX0	SIEMENS	SIMATIC HMI KTP600 BASIC COLOR PN, BASIC PANEL, KEY AND TOUCH OPERATION, 6" TFT DISPLAY, 256 COLORS, PROFINET INTERFACE, CONFIGURATION FROM WINCC FLEXIBLE 2008 SP2 COMPACT/ WINCC BASIC V10.5/ STEP7 BASIC V10.5, CONTAINS OPEN SOURCE SW WHICH IS PROVID	0	+ 10
6AV6647-0AE11-3AX0	SIEMENS	SIMATIC HMI KTP1000 BASIC COLOR DP, BASIC PANEL, KEY AND TOUCH OPERATION, 10" TFT DISPLAY, 256 COLORS, MPI/PROFIBUS DP INTERFACE, CONFIGURATION FROM WINCC FLEXIBLE 2008 SP2 COMPACT/ WINCC BASIC V11/ STEP7 BASIC V11, CONTAINS OPEN SOURCE SW WHICH IS P	0	+ 10
6AV6647-0AF11-3AX0	SIEMENS	SIMATIC HMI KTP1000 BASIC COLOR PN, BASIC PANEL, KEY AND TOUCH OPERATION, 10" TFT DISPLAY, 256 COLORS, PROFINET INTERFACE, CONFIGURATION FROM WINCC FLEXIBLE 2008 SP2 COMPACT/ WINCC BASIC V10.5/ STEP7 BASIC V10.5, CONTAINS OPEN SOURCE SW WHICH IS PROV	0	10
6AV6647-0AG11-3AX0	SIEMENS	SIMATIC HMI TP1500 BASIC COLOR PN, BASIC PANEL, TOUCH OPERATION, 15" TFT DISPLAY, 256 COLORS, PROFINET INTERFACE, CONFIGURATION FROM WINCC FLEXIBLE 2008 SP2 COMPACT/ WINCC BASIC V10.5/ STEP7 BASIC V10.5, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE	0	+ 10
6AV6647-0AH11-3AX0	SIEMENS	SIMATIC HMI KP300 BASIC MONO PN, BASIC PANEL, KEY OPERATION, 3" FSTN LCD DISPLAY, MONOCHROME BLACK/WHITE, PROFINET INTERFACE, CONFIGURATION FROM WINCC BASIC V11/ STEP7 BASIC V11, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SE	1	+ 10
6AV6647-0AK11-3AX0	SIEMENS	SIMATIC HMI KTP400 BASIC COLOR PN, BASIC PANEL, KEY AND TOUCH OPERATION, 4" WIDESCREEN-TFT-DISPLAY, 256 COLORS, PROFINET INTERFACE, CONFIGURATION FROM WINCC BASIC V11 SP2/ STEP 7 BASIC V11 SP2, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE	1	2
6AV6651-5GA01-0AA1	SIEMENS	STARTER PACKAGE 277 IWLAN V2, COMPRISING: MOBILE PANEL 277 IWLAN V2 WITH HANDWHEEL, KEY SWITCH AND ILLUMINATED PUSHB. UNIT, CHARGING STATION, SPARE BATTERY WINCC FLEXIBLE 2008 STANDARD,	0	1
6AV6671-1CB00-0AX0	SIEMENS	MMC CARD 128 MB FOR OP77B, OP/TP 177B, MOBILE PANEL 177	0	1
6AV6671-1CB00-0AX2	SIEMENS	SIMATIC HMI MEMORY CARD 128 MB MULTI MEDIA CARD FOR OP 77B, TP/OP 177B, TP/OP 277, C7-635, MP 177, MP 277, MP 377, MOBILE PANEL 177, MOBILE PANEL 277 AND ALL OTHER HMI PANELS WITH MM CARD SLOT	0	+ 10
6AV6671-5AD00-0AX0	SIEMENS	RECHARGEABLE BUFFER BATTERY FOR MOBILE PANEL DP, CONNECTED WITH CABLES, MOBILE PANEL PN, CONNECTED WITH CABLES, MOBILE PANEL 277 IWLAN, MOBILE PANEL 277F IWLAN	2	0
6AV6671-5AE00-0AX0	SIEMENS	CONNECTIVITY BOX DP BASIC FOR MOBILE PANELS (MPI/PROFIBUS)	1	6
6AV6671-5AE01-0AX0	SIEMENS	CONNECTIVITY BOX PN BASIC FOR MOBILE PANELS (PROFINET)	0	5
6AV6671-5AE10-0AX0	SIEMENS	CONNECTIVITY BOX DP PLUS FOR MOBILE PANELS (MPI/PROFIBUS)	1	2
6AV6671-5AE11-0AX0	SIEMENS	CONNECTIVITY BOX PN PLUS FOR MOBILE PANELS (PROFINET)	1	+ 10
6AV6671-5CE00-0AX1	SIEMENS	CHARGING STATION FOR MOBILE PANEL 277(F) IWLAN WITH LOCK FOR CHARGE AND HOLD THE MOBILE PANEL 277(F) IWLAN CHARGING OF 2 SPARE BATTERIES	7	1
6AV6671-5CL00-0AX0	SIEMENS	MAIN BATTERY 7.2 V FOR MOBILE PANEL 277 IWLAN, MOBILE PANEL 277F IWLAN, MOBILE PANEL 277 IWLAN V2, MOBILE PANEL 277F IWLAN V2, MOBILE PANEL 277F IWLAN (RFID TAG)	0	+ 10

6AV6671-5CM00-0AX0	SIEMENS	TRANSPONDER FOR MOBILE PANEL 277(F) IWLAN	0	4
6AV6671-5CM00-0AX1	SIEMENS	TRANSPONDER V2 F. MOBILE PANEL 277(F) IWLAN V2 NOT APPLICABLE F. MOBILE PANEL 277(F) IWLAN V1!	1	3
6AV6671-6AP00-0AX0	SIEMENS	MOUNTING CLIP THIN CLIENT IP65-CLIP-SET FOR SIMATIC THIN CLIENT 6AV6646-0AA21-2AX0 6AV6646-0AB21-2AX0 AMOUNT AND CONTENT: SEE TECHNICAL DATA	1	0
6AV6671-8XB10-0AX1	SIEMENS	SIMATIC HMI MEMORY CARD 512 MB SECURE DIGITAL CARD FOR MP 177, MP 277, MP 377, MOBILE PANEL 277, FROM WINCC FLEXIBLE 2008 SP1 FOR OP 77, TP/OP 177, TP/OP 277, MOBILE PANEL 177 AND ALL HMI PANELS WITH SD/MMC SLOT	1	6
6AV6671-8XE00-0AX0	SIEMENS	RS422 TO RS232 CONVERTER, MALE, MALE, 9-PIN FOR SCREW CONNECTION TO RS422 INTERFACE, 180 DGR CABLE OUTLET, FOR CONNECTION OF THIRD-PARTY PLC	4	0
6AV6671-8XS00-0AX0	SIEMENS	MOUNTING FRAME FOR KTP 1000 BASIC, MP 277 10" TOUCH, MP 377 12" TOUCH, THIN CLIENT 10", IP65 AND SHEET THICKNESS < 2 MM	5	0
6AV6675-5XA00-0AX0	SIEMENS	CONTROLLER FOR TEK-TEMPERATURE EXTENSION KIT WITH INTEGRATED HUMIDITY SENSOR	0	4
6AV6691-1BA01-3AA0	SIEMENS	USER GUIDE WINCC FLEXIBLE RUNTIME 07/2008, GERMAN	1	0
6AV6691-1CA01-3AA0	SIEMENS	USER GUIDE WINCC FLEXIBLE COMMUNICATION 07/2008, GERMAN	1	0
6AV7200-0EA00-0AA0	SIEMENS	SIMATIC HMI THIN CLIENT EX 4X USB2.0, 2X RS232/422, POWER SUPPLY24V DC, TOUCH SCREEN WITH 8 F-KEYS ZONE 1: 19"; NETWORK 10/100 BASE-TX, EX E; NO HOUSING; NO KEYBOARD	0	2
6AV7422-2SA03-0AS0	SIEMENS	OPERATOR STAT. OEM MP 377 PRO VAR C REMOTE OPERATE 15" TOUCH WITH HOUSING ANCHORAGE, WITH SW REMOTE OPERATE V3.1, CLIENT INSTALLED, CPC/VW321CS_VW378CS/KB VW CHANGSHA	0	1
6EC1620-0A	SIEMENS	SIMATIC C1 PCB 1 SPS 4 SCHMITT TRIGGERS	0	3
6ES5390-0UA11	SIEMENS	SIMATIC S5, TD 390 TEXT DISPLAY FOR S5-90U TO S5-155U/H, WITH 5 M CONNECTING CABLE	0	+ 10
6ES5393-0UA15	SIEMENS	OP393-III OPERATOR PANEL	0	+ 10
6ES7272-0AA30-0YA0	SIEMENS	SIMATIC S7, TD 200 TEXT DISPLAY FOR S7-200, 2 LINES WITH CABLE (2.5M) AND MOUNTING ACCESSORIES, CONFIGURATION WITH STEP7-MICRO/WIN	0	+ 10
6GK1611-0TA01-1DX0	SIEMENS	SIMATIC HMI,MOBIC T8 G,E,F,S,I V1.2 RUGGED MOBILE INTERNET PAD W. CHARG. CONTACTS, BRIGHT DISPLAY,CONT.USING GLASS TOUCH; PORT FOR ETHERNET (INTEGR.) AND RADIO (OPTIONAL USING PCMCIA), WIN CE.NET (G,E,F,S,I) R-SW, SINGLE LICENSE, CLASS B; F.Industr.	0	7
6XV1440-4AH50	SIEMENS	CONNECTING CABLE FOR MOBILE PANELS (MPI/PROFIBUS), LENGTH: 5 M	0	1
6XV1440-4BH50	SIEMENS	CONNECTING CABLE PN FOR MOBILE PANELS (PROFINET), LENGTH: 5 M	0	3
6XV1440-4BN10	SIEMENS	CONNECTING CABLE PN FOR MOBILE PANELS (PROFINET), LENGTH: 10 M	0	2
6XV1440-4BN15	SIEMENS	CONNECTING CABLE PN FOR MOBILE PANELS (PROFINET), LENGTH 15 M	0	3
A5E02184619	SIEMENS	SIMATIC PANEL PC 577 W. FRONT-USB COMPLETE SPARE FRONT, 19" TOUCH	0	3
C79451-A3437-B122	SIEMENS	CABLE CONNECTION W/ELECTRIC ISOLATION PC-OP3	0	2